PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = CHEN
First Name = HUANG-TSUN

Application#	Patent#	Status	Date Filed	Title	Inventor Name
09943018	Not Issued	30	08/30/2001	Digital multi-media input device with continuously store function and method for forming the same	CHEN, HUANG-TSUN
09984754	Not Issued	161	10/31/2001	LCD device for showing multiple pictures	CHEN, HUANG-TSUN
09986837	Not Issued	61	11/13/2001	Apparatus for a multiple function memory card	CHEN, HUANG-TSUN
09990353	Not Issued	80	11/23/2001	Motionless-image display with auto-adjusting light system and the method for forming the same	CHEN, HUANG-TSUN
10329523	Not Issued	20	12/27/2002	Capacity indicating means and measuring method	CHEN, HUANG-TSUN

Inventor Search Completed: No Records to Display.

Search Another: Inventor

Last Name	First Name	
Chen	Huang-Tsun	Search

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3	345/87.ccls. and image adj display and motionless and light and system	USPAT; EPO; JPO	OR	OFF	2005/09/20 14:46
L2	5	Chen and huang-Tsun	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:23
L3	2	Chen and huang-Tsun and "345"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:22
S1	2	"5,432,526".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 11:59
S2	1	"5,432,526".pn. and photosensor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/03 11:59
S3	1985	345/87.ccls.	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:46
S4	282	345/87.ccls. and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:29
S5	3	345/87.ccls. and image adj display and motionless	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:31
S6	3	345/87.ccls. and image adj display and motionless and light and system	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:34
S7	3	345/87.ccls. and image adj display and motionless and light and control	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:35
S8	3	345/87.ccls. and image adj display and motionless and light and control and system	USPAT; EPO; JPO	OR	OFF	2003/09/08 10:57
S9	1506148	light	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:56
S10	65	light and auto-adjust$4	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:55
S11	60	light and auto-adjust$4 and system	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:56
S12	15	light and auto-adjust$4 and system and image and motion$4 and display	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:58

S13	14	light and auto-adjust$4 and system and image and motion$4 and display and input$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:58
S14	14	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:58
S15	14	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:59
S16	14	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value	USPAT; EPO; JPO	OR	OFF	2003/09/07 15:59
S17	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:00
S18	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:00
S19	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:00
S20	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:01
S21	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:01
S22	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:01

S23		7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:02
S24		7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:02
S25		7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order and start$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:03
S26		7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order and start$4 and voltage$1	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:03
S27		7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order and start$4 and voltage$1 and output	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:03
S28		7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order and start$4 and voltage$1 and output and contrast	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:04

S29	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order and start$4 and voltage$1 and output and contrast and bright$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:04
S30	7	light and auto-adjust$4 and system and image and motion$4 and display and input$4 and transmit$4 and set$4 and value and photosens$5 and varia$4 and background and control$4 and receive$4 and signal$1 and feedback and order and start$4 and voltage$1 and output and contrast and bright$4	USPAT; EPO; JPO	OR	OFF	2003/09/07 16:04
S31	26	light and auto-adjust$4 and system and image	USPAT; EPO; JPO	OR	OFF	2003/09/08 09:38
S32	15	light and auto-adjust$4 and system and image and environment	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:12
S33	15	light and auto-adjust$4 and system and image and environment and back and lighting	USPAT; EPO; JPO	OR	OFF	2003/09/08 12:37
S34	3	345/87.ccls. and image adj display and motionless and back and light and control and system	USPAT; EPO; JPO	OR	OFF	2003/09/09 11:17
S35	1	345/87.ccls. and image adj display and motionless and back and light and control and system and environment	USPAT; EPO; JPO	OR	OFF	2003/09/08 09:41
S36	175	image adj display and back adj light$4 and control and system and environment	USPAT; EPO; JPO	OR	OFF	2003/09/08 09:51
S37	96	image adj display and back adj light$4 and control and system and environment and LCD	USPAT; EPO; JPO	OR	OFF	2003/09/08 09:52
S38	41	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 09:53
S39	41	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 09:53
S40	20	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 10:17

S41	18	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:55
S42	3	electrophoretic and image adj display and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter	USPAT; EPO; JPO	OR	OFF	2003/09/08 10:58
S43	14	light and auto-adjust$4 and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:13
S44	14	light and auto-adjust$4 and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:13
S45	14	light and auto-adjust$4 and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:15
S46	14	liquid adj crystal adj display and auto-adjust$4 and back adj light$4 and control and system and environment and Motion$4 and transduc$4 and inverter and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:16
S47	14	liquid adj crystal adj display and auto-adjust$4 and back adj light$4 and control and system and environment and Motion$4 and inverter and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:17
S48	14	liquid adj crystal adj display and auto-adjust$4 and back adj light$4 and environment and Motion$4 and inverter and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:17
S49	14	liquid adj crystal adj display and auto-adjust$4 and back adj light$4 and Motion$4 and inverter and image adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:17
S50	14	liquid adj crystal adj display and auto-adjust$4 and back adj light$4 and Motion$4 and inverter	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:18
S51	106963	liquid adj crystal adj display	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:18
S52	5505	liquid adj crystal adj display and back adj light$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:18

S53	2663	liquid adj crystal adj display and back adj light$4 and control	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:18
S54	140	liquid adj crystal adj display and back adj light$4 and control and transduc$5	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:19
S55	59	liquid adj crystal adj display and back adj light$4 and control and transduc$5 and inverter	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:19
S56	3	liquid adj crystal adj display and back adj light$4 and control and transduc$5 and inverter and feed adj back	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:52
S57	2	liquid adj crystal adj display and back adj light$4 and control and inverter and feed adj back and external and light$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:25
S58	15	liquid adj crystal adj display and back adj light$4 and auto-adjust$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:28
S59	3	345/87.ccls. and image adj display and motionless and light and control and system	USPAT; EPO; JPO	OR	OFF	2003/09/08 11:31
S60	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer	USPAT; EPO; JPO	OR	OFF	2003/09/08 12:17
S61	2	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect	USPAT; EPO; JPO	OR	OFF	2003/09/08 12:13
S62	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback	USPAT; EPO; JPO	OR	OFF	2003/09/08 12:18
S63	1	345/8.ccls. and two adj display and head adj mounted adj display and separate and left adj eye and right adj eye and connect and detect and transducer and feedback and inver$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 12:18
S64	14	light and auto-adjust$4 and system and image adj display and environment and back and lighting	USPAT; EPO; JPO	OR	OFF	2003/09/08 12:37
S65	15	light and auto-adjust$4 and system and image and motion$4	USPAT; EPO; JPO	OR	OFF	2003/09/08 13:00
S66	2	auto$5 adj adjust$3 adj light$3 and system	USPAT; EPO; JPO	OR	OFF	2003/09/08 13:50
S67	2	auto$5 adj adjust$3 adj light$3 and system	USPAT; EPO; JPO	OR	OFF	2003/09/08 13:52

S68	109	345/87.ccls. and back adj light$3	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:53
S69	386	photo adj album	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:53
S70	193	photo adj album and display	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:54
S71	19	photo adj album and display and illuminate$3	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:56
S72	12	photo adj album and display and illuminate$3 and auto$5 and adjust$5	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:58
S73	1	photo adj album and display and illuminate$3 and auto$5 and adjust$5 and control and environment	USPAT; EPO; JPO	OR	OFF	2003/09/09 07:59
S74	12	photo adj album and display and illuminate$3 and auto$5 and adjust$5 and control	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:08
S75	4	photo adj album adj display	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:04
S76	1	photo adj album and display and illuminate$3 and auto$5 and adjust$5 and control and photosensor	USPAT; EPO; JPO	OR	OFF	2003/09/09 09:38
S77	3	photo adj album and display and photosensor	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:13
S78	5126	photosensor and resist$4	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:14
S79	1787	photosensor and resist$4 and display	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:15
S80	2	photosensor and resist$4 and display and photo and album	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:16
S81	4	photosensor adj resist$4 and display	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:16
S82	1	photo adj album and display and illuminate$3 and auto$5 and adjust$5 and control and photosensor	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:45
S83	8	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter and photosensor	USPAT; EPO; JPO	OR	OFF	2003/09/09 08:56
S84	8	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter and photosensor and resist$5	USPAT; EPO; JPO	OR	OFF	2003/09/09 09:06

S85	8	image adj display and back adj light$4 and control and system and environment and LCD and Motion$4 and transduc$4 and inverter and photosensor$1 and resist$5	USPAT; EPO; JPO	OR	OFF	2003/09/09 09:07
S86	22	photo adj album and illuminate$3	USPAT; EPO; JPO	OR	OFF	2003/09/09 09:45
S87	12	photo adj album and illuminate$3 and auto$5 and adjust$5 and control	USPAT; EPO; JPO	OR	OFF	2003/09/09 09:41
S88	1	image adj display and motionless and back and light and control and system and inverter	USPAT; EPO; JPO	OR	OFF	2004/03/26 15:29
S89	1	image adj display and photosens$6 and sub-circuit	USPAT; EPO; JPO	OR	OFF	2004/03/26 15:30
S90	1346	image adj display and photosens$6 and circuit	USPAT; EPO; JPO	OR	OFF	2004/03/26 15:30
S91	610	image adj display and photosens$6 and circuit and couple$6	USPAT; EPO; JPO	OR	OFF	2004/03/26 15:31
S92	15	image adj display and photosens$6 and circuit and couple$6 and input adj circuit	USPAT; EPO; JPO	OR	OFF	2004/03/26 15:31
S93	5	image adj display and photosens$6 and circuit and couple$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	OR	OFF	2004/04/02 11:10
S94	1	display and photosens$6 adj circuit$1 and couple$6 and input adj circuit and output adj circuit	USPAT; EPO; JPO	OR	OFF	2004/04/02 11:31
S95	1	display and photosens$6 adj circuit$1 and couple$6 and input adj circuit and output adj circuit and transmit$9	USPAT; EPO; JPO	OR	OFF	2004/04/02 11:31
S96	1	display and photosens$6 adj circuit$1 and couple$6 and input adj circuit and output adj circuit and transmit$9 and receiv$9	USPAT; EPO; JPO	OR	OFF	2004/04/02 11:44
S97	1	display and photosens$6 adj circuit$1 and couple$6 and input adj circuit and output adj circuit and transmit$9 and receiv$9 and feedback$9	USPAT; EPO; JPO	OR	OFF	2004/04/02 11:44
S98	1	display and predetermined adj(contrast and brightness)and store$6	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:47
S99	0	display and predetermined adj(contrast and brightness)and store$6 and ambient	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:47

S10 0	965	display and predetermined and (contrast and brightness)and store$6 and ambient	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:47
S10 1	965	display and (predetermined and contrast and brightness) and store$6 and ambient	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:47
S10 2	540	display and (predetermined and contrast and brightness) and store$6 and ambient adj light	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:48
S10 3	121	display and (predetermined and contrast and brightness) and store$6 and ambient adj light and compare	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:48
S10 4	427	display and (predetermined and contrast and brightness) and store$6 and ambient adj light and compare$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:48
S10 5	6	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:49
S10 6	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:50
S10 7	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:50
S10 8	0	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9 and siganl	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:50
S10 9	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9 and signal and voltage	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:51

S110	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9 and signal and voltage and display$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:51
S111	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9 and signal and voltage and display$9 and receive	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:51
S112	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9 and signal and voltage and display$9 and receive and (adjust and contrast and brightness)	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:52
S113	5	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback and variable$9 and start$6 and control$9 and signal and voltage and (display$9 and receive and start$6 and voltage$1) and (adjust and contrast and brightness)	USPAT; EPO; JPO	OR	OFF	2004/08/01 15:53
S114	2	"5432526".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/01 16:16
S115	1	"5432526".pn. and ambient adj light	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/08/01 16:16
S116	7	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and feedback	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:19
S117	24	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:31

S11 8	22	display and (predetermined and contrast and brightness) and store$6 and (photo adj sensor) and ambient adj light and compare$9 and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:32
S11 9	35	display and (predetermined and contrast and brightness) and store$6 and (photo adj (sensor or detector)) and ambient adj light and compare$9 and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:33
S12 0	34	display and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and ambient adj light and compare$9 and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:33
S12 1	0	display and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9 and corretc$9 and voltage and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:34
S12 2	20	display and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9 and correct$9 and voltage and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:38
S12 3	0	display and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9 and correct$9 and voltage and display$9 and image$1 and backlight$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:39
S12 4	8805	display and backlight$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:39
S12 5	659	display and backlight$9 and (predetermined and contrast and brightness and value)	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:40
S12 6	2	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:40

S12 7	0	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9 and correct$9 and voltage and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:40
S12 8	1	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:41
S12 9	0	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9 and correct$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:41
S13 0	1	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and detect$6 and ambient adj light and compare$9 and voltage and display$9 and image$1	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:41
S13 1	5	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and compare$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:44
S13 2	5	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector)) and compare$9 and feedback	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:44
S13 3	7	display and backlight$9 and (predetermined and contrast and brightness and value) and store$6 and (photo adj (sensor or detector))	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:45
S13 4	83	display and backlight$9 and (photo adj (sensor or detector))	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:45
S13 5	51	display and backlight$9 and (photo adj (sensor or detector)) and compare$9	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:46

S13 6	24	display and backlight$9 and (photo adj (sensor or detector)) and compare$9 and feedback	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:48
S13 7	22	display and backlight$9 and (photo adj (sensor or detector)) and compare$9 and feedback and voltage	USPAT; EPO; JPO	OR	OFF	2004/08/01 16:48